

Material Safety Data Sheet



Section 1: Product and Company Identification

Product Name: **Bridge Deck Multi-Use Primer – Part A**

Sold By: **Bridge Preservation**
87 Shawnee Avenue
Kansas City, KS 66105
913.321.9000

FOR CHEMICAL EMERGENCY Spill, leak, fire, exposure, or accident, call CHEMTREC day or night
Domestic North America **800.424.9300** International **703.527.3887**

Fax Phone: **913.321.1490**

Section 2: Composition/Information on Ingredients

<u>Hazardous Components</u>	<u>CAS#</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>
Diphenylmethanediisocyanate	9016-87-9		02 ppm CeI
Diphenylmethane 4,4'- diisocyanate	101-68-8		
Propylene carbonate	108-32-7		
Methylenediphenyl diisocyanate	70644-56-3		

Section 3: Hazards Identification

Emergency Overview:

Routes of Entry:	<u>Route</u>	<u>Entry Risk</u>
	Inhalation	Possible
	Ingestion	Possible
	Skin Contact	Possible
	Eye Contact	Possible

Potential Health Effects:	Inhalation	May cause nausea and respiratory tract irritation. May cause respiratory sensitization in susceptible individuals.
	Ingestion	No significant signs or symptoms of any adverse health hazard.
	Skin Contact	Product is a slight skin irritant. May cause swelling and redness.
	Eye Contact	Mild eye irritant. Vapors slightly uncomfortable. Splashes irritating and painful.

Acute Health Hazards: No information is available on the acute health hazards of this product. Based upon data from testing of similar products, no significant effects are expected.

Chronic Health Hazards: If misted or at high concentrations, may cause pallor, nausea, anesthetic or narcotic effects.

Medical Conditions Generally Aggravated by Exposure: Skin and eye sensitization. Depending on individual skin sensitivity, chronic or prolonged exposure may result in irritation, blistering, burning and peeling of skin layers.

Carcinogenicity: OSHA: No data ACGIH: No data NTP: No data IARC: No data
Other:

Section 4: First Aid Measures

Eye Contact:	Immediately flush with plenty of water for at least 15 minutes. If redness, itching, or a burning sensation develops, seek medical attention.
Skin Contact:	Remove from skin immediately. Rinse with clean water for 20-30 minutes. Use soapy water if needed. If redness, itching, or a burning sensation develops, seek medical attention.
Ingestion:	Do NOT induce vomiting! Dilute with water and seek medical attention immediately.
Inhalation:	Move victim to fresh air immediately. Give oxygen and seek medical attention.

Section 5: Fire-Fighting Measures

Flammable Limits:	Not established		
Flash Point, (Method Used):	>200° F (Pensky-Marten Closed)		
Autoignition Temperature:			
NFPA Hazard Rating:	Health: 2	Hazard Scale	Protective Equipment
	Flammability: 1	0=LEAST	A=SAFETY GLASSES
	Reactivity: 1	1=SLIGHT	B=SAFETY GLASSES, GLOVES
	Other: D	2=MODERATE	C=SAFETY GLASSES, GLOVES AND APRON
		3=HIGH	D= SAFETY GLASSES, GLOVES , APRON and RESPIRATOR
		4=EXTREME	
HMIS Hazard Rating:	Health: 2		
	Flammability: 1		
	Reactivity: 1		
	Protection: D		
Extinguishing Media:	Foam/Carbon dioxide/Dry chemical/Water fog		
Special Fire Fighting Procedures:	Remove all ignition sources. Wear self-contained breathing apparatus and complete personal protective equipment when entering confined areas where potential for exposure to vapors or products exist.		
Unusual Fire and Explosion Hazards:	Closed containers may rupture due to build-up of pressure when exposed to extreme heat.		
Hazardous Decomposition Products:			

Section 6: Accidental Release Measures

Accidental Release Measures:	Avoid contact with material. Persons not wearing appropriate protective equipment should be excluded until the spill is cleaned up. Stop spill at source, pump liquid to salvage container. Remaining liquid may be taken up on clay, diatomaceous earth, or other absorbent. Treat with 3-8% concentration of ammonium hydroxide or 5-10% sodium carbonate. Add 10 parts neutralizing solution/part isocyanate. Let stand 48 hours.
------------------------------	--

Section 7: Handling and Storage

Handling & Storage Precautions:	Prevent all skin and eye contact. Avoid breathing vapors. Re-seal partially used containers. Wash with soap and water before eating or drinking. Protect from moisture contamination. Exothermic generation of carbon dioxide may cause dangerous pressure. Keep away from all ignitable sources as well as extreme heat. Don not expose to excessive moisture.
---------------------------------	---

Section 8: Exposure Control/Personal Protection

Ventilation:	Adequate ventilation required. Local exhaust may be required in some areas. Special exhausting generally not required. Mechanical exhaust usually adequate.
Respiratory Protection:	Respiratory masks should be worn at all times when adequate ventilation does not exist. A NIOSH/MSHA respirator is acceptable.
Eye Protection:	Chemical tight goggles; full face shield if splashing is possible.
Skin Protection:	Coveralls and impervious foot covering is recommended.
Other Protective Clothing or Equipment:	Use impervious gloves, neoprene or rubber.

Equipment:

Work/Hygenic Practices: Good air flow in working area. Eyewash station and safety shower should be available. Gloves and respiratory equipment should be worn at all times.

Section 9: Physical and Chemical Properties

Appearance: Amber to brown

Odor: Faint odor

Physical State: Liquid

ph As Supplied:

ph (Other):

Boiling Point: >300° C Decomposes

Melting Point: No data

Freezing Point:

Vapor Pressure (mmHg): .000004 (mmHg)

Vapor Density (Air=1): 8.5

Specific Gravity
(Water=1): 1.22

Evaporation Rate (Butyl
Acetate=1): Slower than

Solubility in Water: Insoluble

Percent Solids by Weight:

Percent Volatile: By Weight: By Volume:

Volatile Organic
Compounds (VOC): With Water: Without Water:

Molecular Weight:

Viscosity: 130 cps

Section 10: Stability and Reactivity

Stability: Stable

Conditions to
Avoid (*Stability*): Avoid excessive heat, open flam, sparks and strong oxidizing agents. Protect from atmospheric moisture. Replace outage with inert dry nitrogen.

Incompatibility (*Materials
to Avoid*): Avoid water, acid, base (alkalis, ammonia), alcohols, metal compounds.

Hazardous Decomposition
or Byproducts: Isocyanate vapors or mist, carbon dioxide, carbon monoxide, nitrogen oxides.

Hazardous
Polymerization: May occur.

Conditions to Avoid
(Polymerization): Avoid incompatible reactants, especially strong bases, water or temperatures over 160° Centigrade.

Section 11: Toxicological Information

Toxicological Information: No Data

Section 12: Ecological Information

Ecological Information: No Data

Section 13: Disposal Considerations

Waste Disposal Method: Dispose of according to current local, state and federal regulations.

RCRA Hazard Class: Non-Regulated

Section 14: Transport Information

U.S. Department of Transportation

Proper Shipping Name: Polymeric diphenylmethane diisocyanate

Hazard Class: Non-regulated (in 55 gallon drums), NOI

ID Number:

Packing Group: III

Label Statement:

Water Transportation

Proper Shipping Name: Polymeric diphenylmethane diisocyanate

Hazard Class: Non regulated, NOI

ID Number:

Packing Group: III

Label Statement:

Air Transportation

Proper Shipping Name: Polymeric diphenylmethane diisocyanate

Hazard Class: Non regulated, NOI

ID Number:

Packing Group: III

Label Statement:

Other Agencies:

Section 15: Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act):

CERCLA (Comprehensive Response
Compensation and Liability Act):

SARA Title III (Superfund Amendments
and Reauthorization Act):

311/312 Hazard Categories:

313 Reportable Ingredients:

State Regulations:

International Regulations:

Section 16: Other Information

Other Information:

Preparation Information:

Disclaimer:

To the best of our knowledge, the information contained in this MSDS is accurate. It is intended to assist the user in his evaluation of the product's hazards, and safety precautions to be taken in its use. The data in this MSDS relate only to the specific material designated herein. We do not assume liability for the use of, or reliance on this information, nor do we guarantee its accuracy or completeness.